

Switchgear & Distribution

CONTENTS PAGE

DOMESTIC UNITS	
Scolmore Elucian	197
Hager Design10	198
BG Consumer Units	200
COMMERCIAL UNITS	
LoadCentre KQ	201
LoadCentre KQ Incomers	203
LoadCentre KQ Circuit Breakers	204
Twinbreak Switchgear	207
Quadbreak Switchgear	207
Acti 9 Isobar P	208
Hager Invicta 3	212

Domestic Units

Scolmore Elucian

Main Switch Consumer Units

Designed with the installer in mind, Elucian is an extensive range of metal consumer units that will cover a broad range of installations and offers a number of features and benefits that will enhance the products' convenience, flexibility and safety properties.



Code	Incomer	Useable Ways	Surge Protection	Price Each
CUEB8MS6	100A	6	-	£43.17
CUEB10MS8	100A	8	-	£45.06
CUEB12MS10	100A	10	-	£49.12
CUEB14MS12	100A	12	-	£55.70
CUEB16MS14	100A	14	-	£58.04
CUEB18MS16	100A	16	-	£60.38
CUEB22MS20	100A	20	-	£66.33
CUEB10MSSP6	100A	6	Yes	£98.15
CUEB12MSSP8	100A	8	Yes	£102.21
CUEB14MSSP10	100A	10	Yes	£108.80
CUEB16MSSP12	100A	12	Yes	£111.12
CUEB22MSSP18	100A	18	Yes	£119.50

Split Load Consumer Units



Code	Main Switch	RCD's	Useable Ways	Surge Protection	High integrity	Price Each
CUEB14MSRCD8	100A	2 x 80A	4 + 4	-	-	£79.31
CUEB16MSRCD10	100A	2 x 80A	5 + 5	-	-	£71.72
CUEB18MSRCD12	100A	2 x 80A	6 + 6	-	-	£88.96
CUEB22MSRCD16	100A	2 x 80A	8 + 8	-	-	£81.95
CUEB14MSRCDSP6	100A	2 x 80A	3 + 3	Yes	-	£112.66
CUEB16MSRCDSP8	100A	2 x 80A	4 + 4	Yes	-	£117.16
CUEB18MSRCDSP10	100A	2 x 80A	5 + 5	Yes	-	£125.63
CUEB22MSRCDSP14	100A	2 x 80A	7 + 7	Yes	-	£129.43
CUEHIB14MSRCD8	100A	2 x 80A	8	-	Yes	£84.70
CUEHIB16MSRCD10	100A	2 x 80A	10	-	Yes	£75.59
CUEHIB18MSRCD12	100A	2 x 80A	12	-	Yes	£93.73
CUEHIB22MSRCD16	100A	2 x 80A	16	-	Yes	£86.99
CUEHIB14MSRCDSP6	100A	2 x 80A	6	Yes	Yes	£146.25
CUEHIB16MSRCDSP8	100A	2 x 80A	8	Yes	Yes	£148.95
CUEHIB18MSRCDSP10	100A	2 x 80A	10	Yes	Yes	£155.29
CUEHIB22MSRCDSP14	100A	2 x 80A	14	Yes	Yes	£161.60

Garage Consumer Units



Code	RCD Incomer	Usable Ways	Price Each
GUEB563RCD3	63A	3	£45.06
GUEB580RCD3	80A	3	£48.67

Domestic Units

Scolmore Elucian

SP MCB's

- Double Pole
- 40kA Max Discharge Current
- <25ns Response Time

Scolmore
GROUP



Size	Type B	Type C	Price Each
6A	CU1MCB6B	CU1MCB6C	£2.65
10A	CU1MCB10B	CU1MCB10C	£2.65
16A	CU1MCB16B	CU1MCB16C	£2.65
20A	CU1MCB20B	CU1MCB20C	£2.65
25A	CU1MCB25B	CU1MCB25C	£2.65
32A	CU1MCB32B	CU1MCB32C	£2.65
40A	CU1MCB40B	CU1MCB40C	£2.65
50A	CU1MCB50B	CU1MCB50C	£2.65
63A	CU1MCB63B	CU1MCB63C	£2.65

SP RCBO's

- One Pole + Neutral
- True 6kA
- 30mA Trip Current

Scolmore
GROUP



Size	Type B	Type C	Price Each
6A	CU1RCB06B	CU1RCB06C	£18.55
10A	CU1RCB010B	CU1RCB010C	£18.55
16A	CU1RCB016B	CU1RCB016C	£18.55
20A	CU1RCB020B	CU1RCB020C	£18.55
25A	CU1RCB025B	CU1RCB025C	£18.55
32A	CU1RCB032B	CU1RCB032C	£18.55
40A	CU1RCB040B	CU1RCB040C	£18.55

Accessories

Scolmore
GROUP



Code	Type	Price Each
CU1BLANK	1 Module Blank	£1.06
CU2MS100	100A Main Switch	£5.86
CUELOCK	C/Unit Locking Device	£4.50
CU2SPD275T	Surge Protection Tail Kit	£44.60
CU2RCD63A	DP 63A 30mA RCD	£20.34
CU2RCD80A	DP 80A 30mA RCD	£21.94
CU2RCD100A	DP 100A 30mA RCD	£23.23
CU2RCDTD63A	DP 63A 30mA Time Delay RCD	£56.10
CU2RCDTD80A	DP 80A 30mA Time Delay RCD	£56.10
CU2RCDTD100A	DP 100A 30mA Time Delay RCD	£56.10

Domestic Units

Hager Design10

Main Switch Consumer Units

- Rear knockouts for ease of cable entry
- Full metal DIN rail
- Quick release clip on MCB / RCBO
- Top mounted terminal rail for neat and simple wiring of earth and neutral



Code	Incomer	Useable Ways	Surge Protection	Price Each
VML202	63A	2	-	£60.72
VML206	63A	6	-	£65.05
VML106	100A	6	-	£53.16
VML110	100A	10	-	£57.83
VML114	100A	14	-	£69.73
VML120	100A	20	-	£96.09
VML108SPD	100A	8	Yes	£176.00
VML112SPD	100A	12	Yes	£183.00
VML118SPD	100A	18	Yes	£205.00

Split Load Consumer Units



Code	Main Switch	RCD's	Useable Ways	Surge Protection	High integrity	Price Each
VML955H	100A	2 x 100A	5 + 5	-	-	£89.00
VML966H	100A	2 x 100A	6 + 6	-	-	£103.25
VML916CU	100A	2 x 100A	16	-	Yes	£109.75
VML910CUSPDRK	100A	2 x 100A	10	Yes	Yes	£196.88
VML914CUSPD	100A	2 x 100A	14	Yes	Yes	£198.22

Garage Units



Code	Incomer	Useable Ways	MCB's Included	Price Each
VML24AH	40A	2	1 x 6A & 1 x 32A	£60.60

SP MCB's



Size	Type B	Price Each
6A	MTN106	£3.25
10A	MTN110	£3.25
16A	MTN116	£3.25
20A	MTN120	£3.25
25A	MTN125	£3.25
32A	MTN132	£3.25
40A	MTN140	£3.25
50A	MTN150	£3.55
63A	MTN163	£3.55

SP RCBO's



Size	Type B	Price Each
6A	ADA306G	£32.75
10A	ADA310G	£32.75
16A	ADA316G	£32.75
20A	ADA320G	£32.75
25A	ADA325G	£32.75
32A	ADA332G	£32.75
40A	ADA140G	£32.75
45A	ADA145G	£32.75

Accessories



Code	Type	Price Each
JK01B	1 Module Blank	£1.46
VM02SPD	Type 2 Surge Protection Kit	£138.57

Domestic Units

BG Consumer Units

High Integrity Populated Consumer Units

- 1 x 100a main switch
- 2 x 63a RCD's
- Populated with sp MCBS



Code	Type	Price Each
CFUDP16606	6 way Populated Board	£87.50
CFUDP16610	10 way Populated Board	£89.00
CFUDP16616	16 way Populated Board	£115.50
CUMB**	SP Type B MCB's	£3.10
CUCRB**	SP Type B RCBO's	£21.75
CUA04	Blank Module	£1.15

Mains Switch Fuse C/w 80A

Description:

Mains switch fused, complete with 80A fuse, Top and bottom knock outs, Thermoplastic enclosure Material.



Code	Type	Price Each
MSF	Mains Switch	£34.50

Commercial Units

LoadCentre KQ

Single Phase 125A Type A

Key Features:

- Standard: BS EN 61439-3
- External IP3X protection to BS EN 60529
- Internal IP2XB protection to BS EN 60529
- Shielded neutral bars
- Cable knockouts on all sides for fast installation
- Earth & neutral bar capacity 25mm²



Code	Size	Price Each
SE125A6	6 SP Way (270 x 266 x 127mm)	POA
SE125A8	8 SP Way (270 x 321 x 127mm)	POA
SE125A12	12 SP Way (270 x 376 x 127mm)	POA
SE125A16	16 SP Way (270 x 456 x 127mm)	POA
SE125A24	24 SP Way (500 x 376 x 127mm)	POA

Three Phase 250A Type B

Key Features:

- Standard: BS EN 61439-3
- External IP3X protection to BS EN 60529
- IP2XB protection to BS EN 60529
- Fully shielded neutral bars
- Earth & neutral bar capacity 25mm²



Code	Size	Price Each
SE12B250	4 way (484 x 470 x 139mm)	POA
SE18B250	6 way (484 x 470 x 139mm)	POA
SE24B250	8 way (538 x 470 x 139mm)	POA
SE36B250	12 way (700 x 470 x 139mm)	POA
SE48B250	16 way (808 x 470 x 139mm)	POA
SE54B250	18 way (862 x 470 x 139mm)	POA
SE72B250	24 way (1024 x 470 x 139mm)	POA

125A Split Metering Board

Key Features:

- Dimensions:
1290 x 470 x 139mm
- Phase B



Code	Size	Price Each
SEB36S24125	12 + 8 TP Ways	POA
SEB42S18125	14 + 6 TP Ways	POA
SEB48S12125	16 + 4 TP Ways	POA

250A Split Metering Board

Key Features:

- Dimensions:
1290 x 470 x 139mm
- Phase B



Code	Size	Price Each
SEB36S24250	12 + 8 TP Ways	POA
SEB42S18250	14 + 6 TP Ways	POA
SEB48S12250	16 + 4 TP Ways	POA

Please contact your local branch for pricing on these items.

Commercial Units

LoadCentre KQ

Steel Enclosures

Range: LoadCentre KQ



Code	Size	Price Each
SE12BCD	484 x 470	POA
SE18BCD	538 x 470	POA
SE36BCD	700 x 470	POA
SE54BCD	808 x 470	POA

Steel Enclosures with DIN Rails

Range: LoadCentre KQ



Code	Size	Price Each
SE12B2D	2 Row 484 x 470	POA
SE18B2D	2 Row 538 x 470	POA
SE36B3D	3 Row 700 x 470	POA
SE54B4D	4 Row 808 x 470	POA

Steel Enclosures with 1 DIN Rail

Range: LoadCentre KQ
Material: Steel
Modules per row: 17



Code	Size	Price Each
SE17BES	270 X 470	POA

Steel Enclosure

Range: LoadCentre KQ
Material: Steel
Modules per row: 17



Code	Size	Price Each
SEBES	270 X 470	POA

125A A Board Accessories

Range: LoadCentre KQ
Number of ways: 16 ways (1P)
Material: Steel
Modules per row: 18
Dimensions: 270 x 470 x 139mm



Code	Type	Price Each
SEAE16	DIN Rail Extension Enclosure	POA

Metering Kit

Key Features:

- Multi function meter provides V, A, Power factor kW/h, kVA/h.
- Three current transformers. Three single pole MCB's
- 415V nominal, 455V maximum. 3 phase 4 wire 50-60Hz
- Pulse output contact is standard + ModBus MID approved



Code	Type	Price Each
SE250MET	100A B-Type Board	POA

Please contact your local branch for pricing on these items.

Commercial Units

LoadCentre KQ



Board Accessories

SESJK



SEK



SEJK



SEK33



SE125SPP



SEPLMCB



SEPLRCBO



Code	Type	Price Each
SESJK	Side Joining Kit	POA
SEJK	Top / Bottom Joining Kit	POA
SE63SLSEK	63A Tap Off Or Split Load	POA
SEK	Barrel Lock & 2 Keys	POA
SEK33	Spare Keys For Above	POA
29370	MCCB Locking Attachment	POA
SE125SPP	125A SP Kit For RCD & Switch Incomers	POA
SEDNBP3	Blanking Plate - 3 Pole	POA
SEPLMCB	MCB Padlock Attachment	POA
SEPLRCBO	RCBO Padlock Attachment	POA
SEPL	Padlock for MCB & RCBO	POA
WALLET	Circuit Directory & Wallet - Pack Of 10	POA
SEPD	Padlocking Door Kit	POA
SE1100L	100A Lug Unit SP	POA
SEGPKO	Spare Gland Plate With Knockouts	POA
SEGP	Spare Gland Plate	POA
SESDC	Spare Door Catch	POA

LoadCentre KQ Incomers

Type A DIN Incoming Devices

Range: LoadCentre KQ
Poles: 2 Pole



Code	Type	Price Each
SE125L2	Terminal Block 125A	POA
SE125SW2	Switch Disconnecter 125A	POA

125A Type B Incoming Devices

Range: LoadCentre KQ
Poles: 2 Pole



Code	Type	Price Each
SE125L4	Terminal Block 125A - 4P	POA
SE125SW4	Switch Disc 125A - 4P	POA
SE125SW3L	Switch Disc 125A - 3P+N	POA
SECSW100	Contactora + Switch 100A	POA

250A Type B Incoming Devices



Code	Type	Price Each
SE250L4P	Terminal Block 250A	POA
SE160SW3L	Switch Disc 160A 3P+N	POA
SE200SW3L	Switch Disc 200A 3P+N	POA
SE250SW3L	Switch Disc 250A 3P+N	POA
SE160SW4	Switch Disc 160A - 4P	POA
SE200SW4	Switch Disc 200A - 4P	POA
SE250SW4	Switch Disc 250A - 4P	POA
SE100MCCB3L	MCCB 100A - 3P+N	POA
SE160MCCB3L	MCCB 160A - 3P+N	POA
SE200MCCB3L	MCCB 200A - 3P+N	POA
SE250MCCB3L	MCCB 250A - 3P+N	POA

Please contact your local branch for pricing on these items.

Commercial Units

LoadCentre KQ Circuit Breakers

iKQ Type B Circuit Breakers



Key Features:

- Manufactured & tested to BS EN 60898
- 10kA breaking capacity
- Let through energy classification of 3
- Positive contact indication
- Trip free mechanism operates even when the toggle is locked on
- lockable in the ON or OFF position
- For us in LoadCentre KQ A & B boards
- Cable capacity 25mm²



Code	Size	Price Each
SE10B103	3A MCB	POA
SE10B106	6A MCB	POA
SE10B110	10A MCB	POA
SE10B116	16A MCB	POA
SE10B120	20A MCB	POA
SE10B125	25A MCB	POA
SE10B132	32A MCB	POA
SE10B140	40A MCB	POA
SE10B150	50A MCB	POA
SE10B163	63A MCB	POA

iKQ Type C Circuit Breakers 1P



Key Features:

- Manufactured & tested to BS EN 60898
- 10kA breaking capacity
- Let through energy classification of 3
- Positive contact indication
- Trip free mechanism operates even when the toggle is locked on
- lockable in the ON or OFF position
- For us in LoadCentre KQ A & B boards
- Cable capacity 25mm²



Code	Size	Price Each
SE10C106	6A MCB	POA
SE10C110	10A MCB	POA
SE10C116	16A MCB	POA
SE10C120	20A MCB	POA
SE10C125	25A MCB	POA
SE10C132	32A MCB	POA
SE10C140	40A MCB	POA
SE10C150	50A MCB	POA
SE10C163	63A MCB	POA

iKQ Type C Circuit Breakers 2P



Code	Size	Price Each
SE10C206	6A MCB	POA
SE10C210	10A MCB	POA
SE10C216	16A MCB	POA
SE10C220	20A MCB	POA
SE10C225	25A MCB	POA
SE10C232	32A MCB	POA
SE10C240	40A MCB	POA
SE10C250	50A MCB	POA
SE10C263	63A MCB	POA

iKQ Type C Circuit Breakers 3P



Code	Size	Price Each
SE10C306	6A MCB	POA
SE10C310	10A MCB	POA
SE10C316	16A MCB	POA
SE10C320	20A MCB	POA
SE10C325	25A MCB	POA
SE10C332	32A MCB	POA
SE10C340	40A MCB	POA
SE10C350	50A MCB	POA
SE10C363	63A MCB	POA

Please contact your local branch for pricing on these items.

Commercial Units

LoadCentre KQ Circuit Breakers

iKQ Type D Circuit Breakers 1P

Key Features:

- Manufactured & tested to BS EN 60898
- 10kA breaking capacity
- Let through energy classification of 3
- Positive contact indication
- Trip free mechanism operates even when the toggle is locked on
- lockable in the ON or OFF position
- For us in LoadCentre KQ A & B boards
- Cable capacity 25mm²



Code	Size	Price Each
SE10D106	6A MCB	POA
SE10D110	10A MCB	POA
SE10D116	16A MCB	POA
SE10D120	20A MCB	POA
SE10D125	25A MCB	POA
SE10D132	32A MCB	POA
SE10D140	40A MCB	POA
SE10D150	50A MCB	POA
SE10D163	63A MCB	POA

iKQ Type D Circuit Breakers 2P



Code	Size	Price Each
SE10D206	6A MCB	POA
SE10D210	10A MCB	POA
SE10D216	16A MCB	POA
SE10D220	20A MCB	POA
SE10D225	25A MCB	POA
SE10D232	32A MCB	POA
SE10D240	40A MCB	POA
SE10D250	50A MCB	POA
SE10D263	63A MCB	POA

iKQ Type D Circuit Breakers 3P



Code	Size	Price Each
SE10D306	6A MCB	POA
SE10D310	10A MCB	POA
SE10D316	16A MCB	POA
SE10D320	20A MCB	POA
SE10D325	25A MCB	POA
SE10D332	32A MCB	POA
SE10D340	40A MCB	POA
SE10D350	50A MCB	POA
SE10D363	63A MCB	POA

Residual Current Circuit Breakers B Type

Key Features:

- Manufactured & tested to BS EN 61009
- 10kA breaking capacity
- Trip free MCB mechanism
- Auto trip on loss of neutral
- Automatic protection against reverse polarity
- Operating volage 150-230Vac
- 6 - 45A; 10, 30 and 100mA sensitivities
- AC class sensitivity
- Cable capacity 16mm²



Code	Size	Price Each
SEE106B03	6A 30mA - 1P+N	POA
SEE110B03	10A 30mA - 1P+N	POA
SEE116B03	16A 30mA - 1P+N	POA
SEE120B03	20A 30mA - 1P+N	POA
SEE125B03	25A 30mA - 1P+N	POA
SEE132B03	32A 30mA - 1P+N	POA
SEE140B03	40A 30mA - 1P+N	POA
SEE145B03	45A 30mA - 1P+N	POA

Please contact your local branch for pricing on these items.

Commercial Units

LoadCentre KQ Circuit Breakers

Residual Current Circuit Breakers C Type

Key Features:

- Manufactured & tested to BS EN 61009
- 10kA breaking capacity
- Let through energy classification of 3
- Trip free MCB mechanism
- lockable in the ON or OFF position
- Auto trip on loss of neutral
- Automatic protection against reverse polarity
- Operating voltage 150-230Vac
- 6 - 45A; 10, 30 and 100mA sensitivities
- AC class sensitivity
- Cable capacity 16mm²



Code	Size	Price Each
SEE106C03	6A 30mA - 1P+N	POA
SEE110C03	10A 30mA - 1P+N	POA
SEE116C03	16A 30mA - 1P+N	POA
SEE120C03	20A 30mA - 1P+N	POA
SEE125C03	25A 30mA - 1P+N	POA
SEE132C03	32A 30mA - 1P+N	POA
SEE140C03	40A 30mA - 1P+N	POA
SEE145C03	45A 30mA - 1P+N	POA

Residual Current Circuit Breakers 2P

Key Features:

- Comply with BS EN 61008
- Rated voltage 240/415V AC 50/60 Hz
- Test button enables RCCB to be tested periodically
- 30mA device suitable for use as additional protection on final sub circuits



Code	Size	Price Each
SED25032	25A RCCB 30mA	POA
SED40032	40A RCCB 30mA	POA
SED40102	40A RCCB 100mA	POA
SED63032	63A RCCB 30mA	POA
SED63102	63A RCCB 100mA	POA
SED63302	63A RCCB 300mA	POA
SED80032	80A RCCB 30mA	POA
SED100032	100A RCCB 30mA	POA
SED100102	100A RCCB 100mA	POA

Residual Current Circuit Breakers - 4P

Key Features:

- Comply with BS EN 61008
- Rated voltage 240/415V AC 50/60 Hz
- Test button enables RCCB to be tested periodically
- 30mA device suitable for use as additional protection on final sub circuits



Code	Size	Price Each
SED25034	25A RCCB 30mA	POA
SED25304	25A RCCB 300mA	POA
SED40034	40A RCCB 30mA	POA
SED40104	40A RCCB 100mA	POA
SED40304	40A RCCB 300mA	POA
SED63034	63A RCCB 30mA	POA
SED63104	63A RCCB 100mA	POA
SED63304	63A RCCB 300mA	POA
SED80034	80A RCCB 30mA	POA
SED100304	100A RCCB 300mA	POA
SED100304S	100A RCCB 300mA +TD	POA

Please contact your local branch for pricing on these items.

Commercial Units

Twinbreak Switchgear

Twinbreak SP+N Metal Switch Fuse

Key Features:

- Standard BS EN 60947-3
- Degree of protection IP41
- Rated for 240/415V 50/60Hz
- Fuse links supplied as standard
- Handle padlockable



Code	Size	Price Each
SD322SFK	32A	POA
SD632SFK	63A	POA
SD1002SFK	100A	POA

Twinbreak TP+N Metal Switch Fuse

Key Features:

- Standard BS EN 60947-3
- Degree of protection IP41
- Rated for 240/415V 50/60Hz
- Fuse links supplied as standard
- Handle padlockable



Code	Size	Price Each
SD203SFK	20A	POA
SD323SFK	32A	POA
SD633SFK	63A	POA
SD1003SFK	100A	POA

Twinbreak TP+N Metal Isolator Switch Disconnecter

Key Features:

- Standard BS EN 60947-3
- Degree of protection IP41
- Rated for 240/415V 50/60Hz
- Fuse links supplied as standard
- Handle padlockable



Code	Size	Price Each
SD203SW	20A	POA
SD323SW	32A	POA
SD633SW	63A	POA
SD1003SW	100A	POA
SD1253SW	125A	POA
SD1603SW	160A	POA

Quadbreak Switchgear

Quadbreak Fused Switch Disconnecter

Key Features:

- Standard BS EN 60947-3
- Degree of protection IP41
- Rated for 240/415V 50/60Hz
- Fuse links supplied as standard
- Handle padlockable



Code	Size	Price Each
SQB1002K	100A	POA
SQB2502K	250A	POA

Quadbreak SP+N Metal Isolator Switch Disconnecter

Key Features:

- Standard BS EN 60947-3
- Degree of protection IP41
- Rated for 240/415V 50/60Hz
- Fuse links supplied as standard
- Handle padlockable



Code	Size	Price Each
SQB0632L	63A	POA
SQB1602L	160A	POA
SQB2502L	250A	POA

Please contact your local branch for pricing on these items.

Commercial Units

Quadbreak Switchgear

Quadbreak TP+N Metal Fused Switch

Key Features:

- Standard BS EN 60947-3
- Degree of protection IP41
- Rated for 240/415V 50/60Hz
- Fuse links supplied as standard
- Handle padlockable



Code	Size	Price Each
SQB0633K	63A	POA
SQB1003K	100A	POA
SQB1603K	160A	POA
SQB2003K	200A	POA
SQB2503K	250A	POA
SQB3153K	315A	POA
SQB4003K	400A	POA
SQB5003K	500A	POA
SQB6303K	630A	POA

Quadbreak TP+N Metal Isolator Switch Disconnecter

Key Features:

- Standard BS EN 60947-3
- Degree of protection IP41
- Rated for 240/415V 50/60Hz
- Fuse links supplied as standard
- Handle padlockable



Code	Size	Price Each
SQB1003L	100A	POA
SQB1603L	160A	POA
SQB2503L	250A	POA
SQB4003L	400A	POA
SQB5003L	500A	POA
SQB6303L	630A	POA
SQB8003L	800A	POA

Acti 9 IsoBar P

Distribution Board, SP Type A

Description:

- IP20 Rated
- 125A
- BS EN 61439-3



Code	Type	Price Each
SEA9APN2	2 Way	POA
SEA9APN6	6 Way	POA
SEA9APN10	10 Way	POA
SEA9APN14	14 Way	POA
SEA9APN18	18 Way	POA
SEA9APN27	27 Way	POA

Please contact your local branch for pricing on these items.

Commercial Units

Acti 9 Isobar P

DP Switch Disconnecter

Range: Acti 9
Rated operational current: 125 A at 415 V AC
Poles: 2P
Product or component type: Switch Disconnecter

Schneider Electric Acti 9




Code	Type	Price Each
SEA91252	125A	POA

250A Distribution Board

Range: Acti 9
Poles: 2P
Breaking capacity: 25kA

Schneider Electric Acti 9



Code	Type	Size	Price Each
SEA9BPN4	4 Way	484x470x139mm	POA
SEA9BPN6	6 Way	484x470x139mm	POA
SEA9BPN8	8 Way	538x470x139mm	POA
SEA9BPN12	12 Way	700x470x139mm	POA
SEA9BPN16	16 Way	808x470x139mm	POA
SEA9BPN18	18 way	862x470x139mm	POA
SEA9BPN24	24 Way	1024x470x139mm	POA

Board Accessories

Range: Acti 9
Product or component type: Switch Disconnecter

Schneider Electric Acti 9



Code	Type	Price Each
SEA91253N	125A TP & N Switch Disconnecter	POA
SEA91254	125A 4P Switch Disconnecter	POA
SEA9PNI1603	160A 3P+N Switch Disconnecter	POA
SEA9PNI1604	160A 4P Switch Disconnecter	POA
SEA9PNI2003	200A 3P+N Switch Disconnecter	POA
SEA9PNI2004	200A 4P Switch Disconnecter	POA
SEA9PNI2503	250A 3P+N Switch Disconnecter	POA
SEA9PNI2504	250A 4P Switch Disconnecter	POA

Modular Extension Box

Schneider Electric Acti 9



Code	Type	Price Each
SEA9BNEX034N	17 Way	POA

3 Module Blank

Schneider Electric Acti 9



Code	Type	Price Each
SEA9BP3	Cover	POA

Lock with Key



Code	Type	Price Each
SEA9BL	Lock	POA

Please contact your local branch for pricing on these items.

Commercial Units

Acti 9 Isobar P

IC60H MCB SP TYPE B

Range: Acti 9
Poles: 1P



Code	Type	Price Each
A9F54106	6A	POA
A9F54110	10A	POA
A9F54116	16A	POA
A9F54120	20A	POA
A9F54125	25A	POA
A9F54132	32A	POA
A9F54140	40A	POA
A9F54150	50A	POA
A9F54163	63A	POA

IC60H MCB SP TYPE C

Range: Acti 9
Poles: 1P



Code	Type	Price Each
A9F54106	6A	POA
A9F54110	10A	POA
A9F54116	16A	POA
A9F54120	20A	POA
A9F54125	25A	POA
A9F54132	32A	POA
A9F54140	40A	POA
A9F54150	50A	POA
A9F54163	63A	POA

IC60H MCB SP TYPE D

Range: Acti 9
Poles: 1P



Code	Type	Price Each
A9F55106	6A	POA
A9F55110	10A	POA
A9F55116	16A	POA
A9F55120	20A	POA
A9F55125	25A	POA
A9F55132	32A	POA
A9F55140	40A	POA
A9F55150	50A	POA
A9F55163	63A	POA

IC60H MCB TP TYPE B

Range: Acti 9
Poles: 3P



Code	Type	Price Each
A9F53306	6A	POA
A9F53310	10A	POA
A9F53316	16A	POA
A9F53320	20A	POA
A9F53325	25A	POA
A9F53332	32A	POA
A9F53340	40A	POA
A9F53350	50A	POA
A9F53363	63A	POA

IC60H MCB TP TYPE C

Range: Acti 9
Poles: 3P



Code	Type	Price Each
A9F54306	6A	POA
A9F54310	10A	POA
A9F54316	16A	POA
A9F54320	20A	POA
A9F54325	25A	POA
A9F54332	32A	POA
A9F54340	40A	POA
A9F54350	50A	POA
A9F54363	63A	POA

IC60H MCB TP TYPE D

Range: Acti 9
Poles: 3P



Code	Type	Price Each
A9F55306	6A	POA
A9F55310	10A	POA
A9F55316	16A	POA
A9F55320	20A	POA
A9F55325	25A	POA
A9F55332	32A	POA
A9F55340	40A	POA
A9F55350	50A	POA
A9F55363	63A	POA

Please contact your local branch for pricing on these items.

Commercial Units

Acti 9 Isobar P

IC60H RCBO SPN TYPE B

Range: Acti 9
Poles: 1P



Code	Type	Price Each
A9D56806	6A	POA
A9D56810	10A	POA
A9D56816	16A	POA
A9D56820	20A	POA
A9D56825	25A	POA
A9D56832	32A	POA
A9D56840	40A	POA
A9D56845	45A	POA

IC60H RCBO SPN TYPE C

Range: Acti 9
Poles: 1P



Code	Type	Price Each
A9D05806	6A	POA
A9D05810	10A	POA
A9D05816	16A	POA
A9D05820	20A	POA
A9D05825	25A	POA
A9D05832	32A	POA
A9D05840	40A	POA
A9D05845	45A	POA

iCT Contactor

Range: Acti 9
Poles: 2P



Code	Type	Price Each
A9C20732	2NO 25A	POA
A9C20834	4NO 25A	POA
A9C20842	2NO 40A	POA
A9C20844	4NO 40A	POA

Please contact your local branch for pricing on these items.

Commercial Units

Hager Invicta 3

Type A SP&N Boards

Range: Invicta 3
Includes: Comes with 100A DP Incomer



Code	Type	Price Each
JK106	6 Way	POA
JK110	10 Way	POA
JK114	14 Way	POA
JK120	20 Way	POA

Type B 125A TPN Boards

Range: Invicta 3
Incomer: No Incomer Supplied



Code	Type	Price Each
JK104BG	4 Way	POA
JK106BG	6 Way	POA
JK108BG	8 way	POA
JK112BG	12 Way	POA
JK116BG	16 Way	POA
JK118BG	18 Way	POA
JK124BG	24 Way	POA

Incomers For 125A TPN Boards

Range: Invicta 3
Fit: Incomers fit internally



Code	Type	Poles	Price Each
JK11003S	100A	3 Pole	POA
JK11004S	100A	4 Pole	POA
JK11253S	125A	3 Pole	POA
JK11254S	125A	4 Pole	POA

DIN Rail Extension Enclosures

Range: Invicta 3
Use: Used with 125A Type B Board



Code	Type	Price Each
JK116EG	1 Row 16 Way	POA

Surge Protection Kit

Range: Invicta 3
Use: Used with 125A Type B Board



Code	Type	Price Each
JK102SPD	Type 2	POA

Type B 250A Rated Boards

Range: Invicta 3
Incomer: No Incomer Supplied

Code	Type	Price Each
JK208BG	8 Way	POA
JK212BG	12 Way	POA
JK216BG	16 Way	POA
JK218BG	18 Way	POA
JK224BG	24 Way	POA



Incomers

Range: Invicta 3
Use: Used with 250A TP Board

Code	Type	Rated	Poles	Price Each
JK22504MCS	Switch Kit	250A	4 Pole	POA
JK22503M	MCCB	250A	3 Pole	POA
JK22504M	MCCB	250A	4 Pole	POA

Please contact your local branch for pricing on these items.

Commercial Units

Hager Invicta 3

DIN Rail Extension Enclosures

Range: Invicta 3
Use: Used with 250A Type B Board



Code	Type	Price Each
JK216EG	1 Row 16 Way	POA

Surge Protection Kit

Range: Invicta 3
Use: Used with 250A Type B Board



Code	Type	Price Each
JK202SPD	Type 2	POA

Accessories for TP Boards

Code	Type	Price Each
JK222PK	Door Locking Kit	POA
JK01B	1 Module Blank	£1.46
EH010	1 Module 24hr N/O Timer	POA
EH011	1 Module 24hr N/O Timer with Supply Failure Reserve	POA
ESC225	25A 2NO Modular Contactor 230v	POA
ESC240	40A 2NO Modular Contactor 230v	POA
ESC263	63A 2NO Modular Contactor 230v	POA
ESC440	40A 4NO Modular Contactor 230v	POA
ESC463	61A 4NO Modular Contactor 230v	POA
LZ060	Contactor Spacer	POA

MCB's 10/15kA Rated



Type	SP Type B	SP Type C	SP Type D	TP Type B	TP Type C	TP Type D	Price Each
6A	NBN106A	NCN106A	NDN106A	NBN306A	NCN306A	NDN306A	POA
10A	NBN110A	NCN110A	NDN110A	NBN310A	NCN310A	NDN310A	POA
16A	NBN116A	NCN116A	NDN116A	NBN316A	NCN316A	NDN316A	POA
20A	NBN120A	NCN120A	NDN120A	NBN320A	NCN320A	NDN320A	POA
25A	NBN125A	NCN125A	NDN125A	NBN325A	NCN325A	NDN325A	POA
32A	NBN132A	NCN132A	NDN132A	NBN332A	NCN332A	NDN332A	POA
40A	NBN140A	NCN140A	NDN140A	NBN340A	NCN340A	NDN340A	POA
50A	NBN150A	NCN150A	NDN150A	NBN350A	NCN350A	NDN350A	POA
63A	NBN163A	NCN163A	NDN163A	NBN363A	NCN363A	NDN363A	POA

RCBO's 10kA Rated 30mA A Class



Type	B Curve	C Curve	Price Each
6A	ADA106U	ADA156U	POA
10A	ADA110U	ADA160U	POA
16A	ADA116U	ADA166U	POA
20A	ADA120U	ADA170U	POA
25A	ADA125U	ADA175U	POA
32A	ADA132U	ADA182U	POA
40A	ADA140U	ADA190U	POA
45A	ADA150U	ADA195U	POA

Please contact your local branch for pricing on these items.