

TIMERS & CONTROLS

CONTENTS PAGE

TIMERS

Multipurpose Timers	233
---------------------	-----

THERMOSTATS

Multipurpose Thermostats	237
--------------------------	-----

Timers

Multipurpose Timers



24hr Immersion Heater

- 16(6)A load rating.
- Easy to use captive segment dial.
- Permanent ON/OFF control.
- Fits a standard flush or surface mount box min. 32mm deep.



Code	Type	Price Each
NTT01	24hr	£30.33

24hr Immersion Heater With Voltage Free Contacts

- 16(6)A load rating.
- Permanent ON/OFF control.
- Fits a standard flush or surface mount box min. 32mm deep.



Code	Type	Price Each
NTT02	24hr	£30.90

24hr / 7 day Immersion Heater

- 16(6)A load rating.
- Optional 1 and 2 hour boost button.
- Automatic Summer/Winter changeover.
- Fits a standard flush or surface mount box min. 32mm deep.



Code	Type	Price Each
NTT03	24hr / 7 Day	£47.90

24hr / 7 Day Immersion Heater With Voltage Free Contacts

- 16(6)A load rating.
- Optional 1 and 2 hour boost button.
- Fits a standard flush or surface mount box min. 32mm deep.



Code	Type	Price Each
NTT04	24hr / 7 Day	£48.95

24hr Slimline Heater

- 16(6)A load rating.
- Switches ON and OFF at preset times.
- Easy to use captive segment dial.
- Permanent ON/OFF control.



Code	Type	Price Each
NTT05	24hr	£31.48

Slimline Heater Electronic

- 16(6)A load rating.
- Optional 1 and 2 hour boost button.
- Automatic Summer/Winter changeover.



Code	Type	Price Each
NTT06	24hr	£50.01
NTT07	7 Day	£53.27

24hr Time Controller

- Easy to use segment setting dial.
- 15 minute minimum switching interval which can be increased 15 minute steps.
- Permanent ON override for instant control.



Code	Type	Price Each
TG24	24hr	£15.54

Electronic Boost Timer

- Automatic timer countdown selection for up to 4 hours - 13A (3kW) loading.
- Fits a standard flush or surface mount BS wall box min. 25mm deep



Code	Type	Price Each
TGBT4N	4hr	£28.89

Time Switch Fused Spur

- Double pole switch for ease of control.
- Integral memory back up battery retains programmes in event of power failure.
- Fits a single gang wall box min. 25mm deep.



Code	Type	Price Each
FST24	24 Hour	£64.89
FST77	7 Day	£69.21

Interal Wifi Controlled Fused

- Auto mode, with permanent ON, permanent OFF and holiday modes.
- Optional 1 and 2 hour boost.
- Automatic summer/winter changeover.



Code	Type	Price Each
FSTWIFI	Wifi Unit	£85.05

Timers

Multipurpose Timers

SANGAMO

20A Quartz 24hr Time Switch

Current Rating: 20A
Programming: 24hr



Code	Type	Price Each
S254.2	20A 3 Pin 24 Hr Timer Switch F2/3 SPST	POA
S255.2	20A 4 Pin 24 Hr Timer Switch F2/3 SPST	POA
S254.3	3 On/Off 3 Pin, Day Omit On	POA
S255.3	3 On/Off 4 Pin, Day Omit On	POA
Q554.2	20A 3 Pin	POA
Q554.3	3 On/Off 3 Pin, Day Omit On	POA
Q555.2110V	F2/3 SPST 4 Pin, Day Omit On	POA
Q555.2	20A 4 Pin	POA
Q555.3	3 On/Off 4 Pin, Day Omit On	POA
Q557.2	F2/3 SPST 4 Pin, Day Omit Off	POA
Q557.3	3 On/Off 4 Pin, Day Omit Off	POA
Q559.2	F2SPST 4 Pin E/Off, Day Omit On	POA
Q563.2	F2/3 SPDT 4Pin Day Omit, 1 Circ.Only	POA
Q563.3	3 On/Off 4Pin Day Omit, 1 Circ.Only	POA
Q586.2	F2SPST 4 Pin, Day Omit On E/On	POA

20A Quartz Solar Time Switch

Current Rating: 20A
Programming: 24hr
Battery Reserve: 100 hours



Code	Type	Price Each
Q550.13.11	13 SPST 50 Deg North, 3 Pin E/Off Day Omit On	POA
Q550.13.12	13 SPST 52 Deg North, 3 Pin E/Off Day Omit On	POA
Q550.13.13	13 SPST 54 Deg North, 3 Pin E/Off Day Omit On	POA
Q550.13.14	13 SPST 56 Deg North, 3 Pin E/Off Day Omit On	POA
Q551.13.11	13 SPST 50 Deg North, 3 Pin E/Off	POA
Q551.13.12	13 SPST 52 Deg North, 3 Pin E/Off	POA
Q551.13.13	13 SPST 54 Deg North, 3 Pin E/Off	POA
Q551.13.14	13 SPST 56 Deg North, 3 Pin E/Off	POA
Q551.14.11	14 SPST 50 Deg North, 3 Pin E/Off & On	POA
Q551.14.12	14 SPST 52 Deg North, 3 Pin E/Off & On	POA
Q551.14.13	14 SPST 54 Deg North, 3 Pin E/Off & On	POA
Q551.14.14	14 SPST 56 Deg North, 3 Pin E/Off & On	POA
Q553.13.11	13 SPST 50 Deg North, 4 Pin E/Off	POA
Q553.13.12	13 SPST 52 Deg North, 4 Pin E/Off	POA
Q553.13.13	13 SPST 54 Deg North, 4 Pin E/Off	POA
Q553.13.14	13 SPST 56 Deg North, 4 Pin E/Off	POA
Q553.14.11	14 SPST 50 Deg North, 4 Pin E/Off & On	POA
Q553.14.12	14 SPST 52 Deg North, 4 Pin E/Off & On	POA
Q553.14.13	14 SPST 54 Deg North, 4 Pin E/Off & On	POA
Q553.14.14	14 SPST 56 Deg North, 4 Pin E/Off & On	POA

Please contact your local branch for pricing on these items.

Timers

Multipurpose Timers

SANGAMO

TIMERS & CONTROLS

20A Electronic 7Day Time Switch

- 7 day programme
- 3-pin digital time switch
- Up to 48 ON and 48 OFF (96 operations per day).



Code	Type	Price Each
E854	1 Channel SPST 3Pin	POA

20A Electronic 7Day Time Switch

- 7 day programme
- 4-pin digital time switch
- Up to 48 ON and 48 OFF (96 operations per day).



Code	Type	Price Each
E855	20A	POA

Conduit Box For Round Pattern Switches

Size:
128.6 x 128.6 x 30.2 mm



Code	Type	Price Each
FD930	Conduit Box	POA

Time Switch Din Rail Mounted Segment

A 17.5mm (1 module) wide segment 24 hour 16A timeswitch.



Code	Type	Price Each
SYN160A	1 Module	£58.65

1 Module 1 Channel 24 Hour Control Timer

- Easy programming with captive setting keys
- Easy to read switching
- 100 hour battery reserve



Code	Type	Price Each
11002	16A	POA

7 Day Panel Time Switch With Battery

- 7 day programming by 1 hour captive segments.
- 200 hour battery reserve



Code	Type	Price Each
16921	7 Day	POA

Digital 7 Day Timer with Battery Reserve


- Automatic sorting of switching times on readout
- Text based menu & self-explanatory symbols
- Elapsed time and pulse counter



Code	Type	Price Each
23871	1 Channel	POA
23872	2 Channel	POA

Two Module Single Channel Yearly Time Switch

- Full 365 day programming
- Text based menu & self-explanatory symbols
- Automatic sorting of switching times on readout



Code	Type	Price Each
25162	1 Channel	POA

Accessories

25193



25195/6



Code	Type	Price Each
25193	Virgin Programming Key	POA
25195	PC Programming Software c/w Interface	POA
25196	USB Hub Interface With Bluetooth	POA

Please contact your local branch for pricing on these items.

Timers

Multipurpose Timers

SANGAMO

4 Channel 7 Day Time Switch

- 4 channel timer with 300 memory slots
- Quick & intuitive programmable time switch
- Can be programmed with supply disconnected



Code	Type	Price Each
26404	4 Channel	POA

One Module Solar Time Switch

- Pre-programmed real time and date
- Quick and easily programmable time switch
- Removable programmable module
- Can be programmed with supply disconnected



Code	Type	Price Each
71101	1 Channel	POA

One Module Time Switch

- Automatic sorting of switching times on readout
- Removable programming module
- Quick & intuitive programmable time switch
- Can be programmed with supply disconnected



Code	Type	Price Each
71111	1 Channel	POA

Two Module Time Switch

- Text based menu & self-explanatory symbols
- Quick & intuitive programmable time switch
- Can be programmed with supply disconnected



Code	Type	Price Each
72101	16A 1 Channel 7 Day Swith Timer, Key Programming	POA
72201	16A 2 Channel 7 Day Swith Timer, Key Programming	POA
72103NFC	16A 1 Channel 7 Day Switch Timer, Contactless Programming	POA
72203NFC	16A 2 Channel 7 Day Switch Timer, Contactless Programming	POA
72112	1 Channel 7 Day Timer, Key & Pulse Programming	POA
72212	2 Channel 7 Day Timer, Key & Pulse Programming	POA
72113NFC	1 Channel 7 Day Timer, NFC Contactless & Pulse Programming	POA
72213NFC	2 Channel 7 Day Timer, NFC Contactless & Pulse Programming	POA
72102NFC	16A 1 Channel 24 Hr Timer, Contactless Programming	POA

Time Clock

Contact Local Branch for Pricing

Europa
components



Code	Type	Price Each
ET1624HD	7 Day Digital 1 Channel 16 Period (1 Min Segs)	£50.92
ET1624HEA	24 Hour Analogue 15 Minute Segments (1 Module)	£71.86
ET167D2C	7 Day Digital 2 Channel N/O	£88.25
ET167DYD	7 Day Digital 1 Channel Daily 16 On / Off	£55.50

Thermostats

Multipurpose Thermostats



Room Thermostat

- Easily adjustable dial with clearly marked temperature scale.
- 5°C to 30°C set temperature range.



Code	Type	Price Each
TRT030N	Thermostat	£25.05

Thermostat Electronic Frost

- Easily adjustable dial with clearly marked temperature scale.
- Frost protection against the risk of freezing pipes.



Code	Type	Price Each
TRT031N	Thermostat	£26.20

Room Thermostat Electronic

- Easily adjustable dial with clearly marked temperature scale.
- Frost Protection. 5°C to 30°C set temperature range.



Code	Type	Price Each
TRT032N	Thermostat	£26.20

Digital Room Thermostat Electronic

- Digital room temperature display, illuminated on setting.
- Easy +/- illuminated push button settings.



Code	Type	Price Each
TRT033N	Digital Thermostat	£39.35

Hot Water Cylinder Thermostat

- Easy fixing to all hot water cylinders
- Cylinder strap and hooks provided



SANGAMO

Code	Type	Price Each
CHOICESTAT	Thermostat	POA

Central Heating / Hot Water Programmer



SANGAMO

Code	Type	Price Each
CHOICEPR1SI	1 Channel	POA
CHOICEPR2SI	2 Channel	POA
CHOICEPR3SI	3 Channel	POA

Mechanical Room For Wet Systems Thermostat



SANGAMO

Code	Type	Price Each
CHOICERSTAT1T	Thermostat	POA

Mechanical Room Thermostat for Wet Rooms

- 10 to 30°C Set point range
- 10A current rating



SANGAMO

Code	Type	Price Each
CHOICERSTAT1	Thermostat	POA

Central Heating / Hot Water Programmer

- 24 hour, 5/2 day and 7 day selectable
- 1, 2 or 3 hour boost



SANGAMO

Code	Type	Price Each
CHOICEPR1N	1 Channel	POA
CHOICEPR2N	2 Channel	POA
CHOICEPR3N	3 Channel	POA

Thermostats

Multipurpose Thermostats

SANGAMO

Frost Mechanical Room Thermostat

- Bi-Metalic temperature sensing element
- Suitable for surface or switch box mounting



Code	Type	Price Each
CHOICEFSTAT1	Thermostat	POA

Electronic Digital Display Thermostat

- LCD showing room temperature
- Comfort/Economy or ON/OFF modes
- Frost protection



Code	Type	Price Each
CHOICERSTAT3	Thermostat	POA

Electronic Digital Display RF Thermostat

- Optional Economy and Comfort Operation
- Unique RF address to avoid interference
- Clear LCD display



Code	Type	Price Each
CHOICERSTAT3-RF	Thermostat	POA

Electronic Digital Display RF 7 Day Thermostat

- 24 or 7 day programmable
- 6 time/temperature events per day
- Default adjustable program



Code	Type	Price Each
CHOICERSTAT5-RF	Thermostat	POA

Sangamo Wifi Room Thermostat

Key Features:

- 100m open field range
- Wi-Fi function requires 2.4GHZ network and thermostat to be powered with a mains supply or via Micro USB
- 7 day programmable, 6 programmable events per day
- Monitor temperature and thermostat activity
- Thermostat dimensions : 124 x 88 x 21 mm
- Wall mount or desktop stand option
- 5-35°C set point range
- Frost protection



Code	Type	Price Each
CHOICERSTATWIFI	White	POA
CHOICERSTATWIFIB	Black	POA